

## Code Correlations: ICD-9-CM Volume 3 Codes – Inpatient Only

Medi-Cal developed code set correlation tables (printed in the June *Medi-Cal Update*) so providers can prepare for business and billing operation changes, software and practice management system modification and vendor or clearinghouse use. Additional policy, billing instructions and provider manual replacement pages will be included in a future *Medi-Cal Update*. The correlation tables are separated by claim type and billing media (paper, current proprietary and non-standard formats as well as the HIPAA standard formats). The code values are not to be used for billing purposes for dates of service prior to September 22, 2003. The correlation tables apply to both paper and electronic claims submission, with each billing media and table being represented separately. Information for this code set is provided for the following billing media:

- ❖ Inpatient Paper Claims (UB-92)
- ❖ Version 4 Flat File
- ❖ CMC Proprietary (CMC 03)
- ❖ ANSI ASC X12N 837 Version 3041
- ❖ ANSI ASC X12N 837I Version 4010A1

### Modifications for billing:

- Paper: FL (Field Locator) 80 and 81 – Principal Procedure and Other Procedure
- Version 4 Flat File: Record Type 70, field 13 and 15 – Principal Procedure Code and Other Procedure Code
- CMC Proprietary: Primary Surgical Code and Secondary Surgical Code
- ANSI ASC X12 837 Version 3041: Loop 2300, HI03-2 and HI04-2 – Primary Surgical Code and Secondary Surgical Code
- ANSI ASC X12N 837I Version 4010A1: Loop 2300, HI01-2 Principal Procedure Code and HI01-2 Other Procedure Code

### General billing information:

- Claims currently required to be billed on paper are still required to be billed on paper at this time.
- The following correlation shows the national ICD-9-CM Volume 3 procedure code value for this field to be used when completing a claim with a date in the “Statement Covers Period” on or after September 22, 2003.
- When completing a claim with a beginning “Statement Covers Period” date prior to September 22, 2003, the appropriate CPT-4 or HCPCS code must be used.
- The following correlation is in Medi-Cal current code value order.

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
10000 - 69999		00.01-89.09	
10000 - 97799		00.01-99.99	
32851-32854	Transplant of Lung	33.50 33.51 33.52	Lung Transplantation, not otherwise specified Unilateral lung transplantation Bilateral lung transplantation
33935	Heart-Lung Transplant with recipient cardiectomy-pneumonectomy	33.6	Combined heart-lung transplantation
33945	Heart transplant, with or without recipient cardiectomy	37.5	Heart Transplantation
38230	Bone marrow harvesting for transplantation	41.00 41.01 41.02 41.03 41.04 41.05 41.06 41.07 41.08 41.09	Bone marrow transplant, not otherwise specified Autologous bone marrow transplant without purging Allogeneic bone marrow transplant with purging Allogeneic bone marrow transplant without purging Autologous hematopoietic stem cell transplant without purging Allogeneic hematopoietic stem cell transplant without purging Cord blood stem cell transplant Autologous hematopoietic stem cell transplant with purging Allogeneic hematopoietic stem cell transplant with purging Autologous bone marrow transplant with purging
38231	Blood-derived peripheral stem cell harvesting for transplantation, per collection	99.79	Other (Harvest of stem cells)
38240	Bone marrow or blood-derived peripheral stem cell transplantation; allogenic	41.02 41.03 41.05 41.08	Allogeneic bone marrow transplant with purging Allogeneic bone marrow transplant w/o purging Allogeneic hematopoietic stem cell transplant without purging Allogeneic hematopoietic stem cell transplant with purging
38241	Bone marrow or blood-derived peripheral stem cell transplantation; autogenous	41.01 41.04 41.07 41.09	Autologous bone marrow transplant without purging Autologous hematopoietic stem cell transplant without purging Autologous hematopoietic stem cell transplant with purging Autologous bone marrow transplant with purging
44135	Intestinal allotransplantation; from cadaver donor	46.97	Transplant of intestine

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
47134	Donor hepatectomy, with preparation and maintenance of allograft; partial, from living donor	50.51	Auxillary Liver Transplant
		50.59	Other transplant of liver
		50.99	Other operation on liver
47135	Liver Allotransplantation; orthotopic, partial or whole, from cadaver or living donor, any age	50.51	Auxillary Liver Transplant
		50.59	Other transplant of liver
47399	Unlisted procedure, liver	50.99	Other operations on liver
<b>50300-50370</b>			
50300	Donor nephrectomy, with preparation and maintenance of allograft, from cadaver donor, unilateral or bilateral	55.51	Nephroureterectomy
		55.52	Nephrectomy of remaining kidney
		55.54	Bilateral nephrectomy
50320	Donor nephrectomy, open from living donor (excluding preparation and maintenance of allograft)	55.51	Nephroureterectomy
50340	Recipient nephrectomy (separate procedure)	55.52	Nephrectomy of remaining kidney
		55.53	Removal of transplanted or rejected kidney
		55.54	Bilateral nephrectomy
50360	Renal allotransplantation, implantation of graft; excluding donor and recipient nephrectomy	55.61	Renal Autotransplantation
		55.69	Other kidney transplantation
50365	Renal allotransplantation with recipient nephrectomy	55.52	Nephrectomy of remaining kidney
		55.53	Removal of transplanted or rejected kidney
		55.54	Bilateral nephrectomy
		55.61	Renal Autotransplantation
		55.69	Other kidney transplantation
50370	Removal of Transplanted renal allograft	55.53	Removal of transplanted or rejected kidney
51597	Pelvis exenteration, complete, for vesical, prostatic or urethral malignancy, with removal of bladder and ureteral transplantations, with or without hysterectomy and/or abdominoperineal resection of rectum and colon and colostomy, or any combination thereof	57.71 (Male)	Radical cystectomy
		68.8 (Female)	Pelvic evisceration
51925	Closure of vesicouterine fistula; with hysterectomy	57.81	Structure of laceration of bladder
		57.84	Repair of other fistula of bladder
		68.3	Subtotal abdominal hysterectomy
		68.4	Total abdominal hysterectomy
55250	Vasectomy, unilateral or bilateral (separate procedure), including postoperative semen examination(s)	63.6	Vasectomy
		63.7	Vasectomy and ligation of vas deferens
		63.70	Male sterilization procedure not otherwise specified
		63.71	Ligation of vas deferens
		63.72	Ligation of spermatic cord
		63.73	Vasectomy

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
55450	Ligation (percutaneous) vas deferens, unilateral or bilateral (separate procedure).	63.71	Ligation of vas deferens
56301	Laparoscopy, surgical; with fulguration of oviducts (with or without transection)	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
		66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
56302	Laparoscopy, surgical; with occlusion of oviducts by device (e.g. band, clip or Falope ring)	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
		66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
		66.92	Unilateral destruction or occlusion of fallopian tube
56307	Laparoscopy, surgical; with removal of adnexal structures (partial of total oophorectomy and/or salpingectomy)	65.31	Laparoscopic unilateral oophorectomy
		65.39	Other unilateral oophorectomy
		65.41	Laparoscopic unilateral salpingo-oophorectomy
		65.49	Other unilateral salpingo-oophorectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.53	Laparoscopic removal of both ovaries at same operative episode
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
56307 (continued)		65.63	Laparoscopic removal of both ovaries and tubes at same operative episode
		65.64	Laparoscopic removal of remaining ovary and tube
		69.98	Other operations on supporting structures of uterus
58550	Laparoscopy, surgical, with vaginal hysterectomy for uterus 250 grams or less	68.51	Laparoscopically assisted vaginal hysterectomy
<b>58150-58285</b>			
58150	Total abdominal hysterectomy (corpus and cervix), with or without removal of tubes, with or without removal of ovary(s)	68.4	Total abdominal hysterectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative procedure
		65.64	Laparoscopic removal of remaining ovary and tube
58152	Total abdominal hysterectomy (corpus and cervix), with or without removal of tube(s), with or without removal of ovary(s); with colpo-urethrocystopexy (e.g. Marshall-Marchetti-Kratz, Burch)	59.5	Retropubic urethral suspension
		68.4	Total abdominal hysterectomy
58180	Supracervical abdominal hysterectomy (subtotal hysterectomy), with or without removal of tube(s), with or without removal of ovary(s)	68.3	Subtotal Abdominal hysterectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative procedure
		65.64	Laparoscopic removal of remaining ovary and tube
58200	Total abdominal hysterectomy including partial vaginectomy, with para-aortic and pelvic lymph node sampling, with or without removal of tube(s), with or without removal of ovary(s)	68.6	Radical abdominal hysterectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
58200 (continued)		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative procedure
		65.64	Laparoscopic removal of remaining ovary and tube
		40.3	Regional lymph node excision
		70.91	Other operations on vagina
58210	Radical abdominal hysterectomy, with bilateral total pelvic lymphadenectomy & para-aortic lymph node sampling (biopsy), with or without removal of tube(s), with or without removal of ovary(s)	68.6	Radical abdominal hysterectomy
		40.3	Regional lymph node excision
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative procedure
58240	Pelvic exenteration for gynecologic malignancy, with total abdominal hysterectomy or cervicectomy, with or without removal of tube(s), with or without removal of ovary(s), with removal of bladder and ureteral transplantations, and/or abdominoperineal resection of rectum and colon and colostomy, or any combination thereof	68.8	Pelvic evisceration
		46.13	Other permanent colostomy
58260	Vaginal hysterectomy	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
58262	Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s)	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		65.31	Laparoscopic unilateral oophorectomy
		65.39	Other unilateral oophorectomy
		65.41	Laparoscopic unilateral salpingo-oophorectomy
		65.49	Other unilateral salpingo-oophorectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.53	Laparoscopic removal of both ovaries at same operative episode

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
58262 (continued)		65.54	Laparoscopic removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at same operative episode
		65.64	Laparoscopic removal of remaining ovary and tube
58263	Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		65.31	Laparoscopic unilateral oophorectomy
		65.39	Other unilateral oophorectomy
		65.41	Laparoscopic unilateral salpingo-oophorectomy
		65.49	Other unilateral salpingo-oophorectomy
		65.51	Other removal of both ovaries at same operative episode
		65.52	Other removal of remaining ovary
		65.53	Laparoscopic removal of both ovaries at same operative episode
		65.54	Laparoscopic removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at same operative episode
		65.64	Laparoscopic removal of remaining ovary and tube
58267	Vaginal hysterectomy, for uterus 250 grams or less; with colpo-urethrocystopexy (Marshall-Marchetti-Kratz type, Pereyra type) with or without endoscopic control	70.92	Other operations on the cul-de-sac
		68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		59.5	Retropubic urethral suspension
58270	Vaginal hysterectomy with repair of enterocele	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		70.92	Other operations on the cul-de-sac

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
58275	Vaginal hysterectomy, with total or partial vaginectomy	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		70.4	Obliteration and total excision of vagina
58280	Vaginal hysterectomy, with total or partial vaginectomy; with repair of enterocele	68.51	Laparoscopically assisted vaginal hysterectomy
		68.59	Other vaginal hysterectomy
		70.4	Obliteration and total excision of vagina
		70.92	Other operations on the cul-de-sac
58285	Vaginal hysterectomy, radical (Schauta type operation)	68.7	Radical vaginal hysterectomy
<b>58600-58615</b>			
58600	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, unilateral or bilateral	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
		66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
58605	Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization (separate procedure)	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
		66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
58611	Ligation or transection of fallopian tube(s) when done at the time of cesarean section or intra-abdominal surgery (not a separate procedure)(List separately in addition to code for primary procedure)	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes



SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
58611 ( <i>continued</i> )		66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
58615	Occlusion of fallopian tube(s) by device (e.g. band, clip or Falope ring) vaginal or suprapubic approach	66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
		66.92	Unilateral destruction or occlusion of fallopian tube
58661	Laparoscopy, surgical; with removal of adnexal structures (partial or total oophorectomy or salpingectomy)	65.53	Laparoscopic removal of both ovaries at same operative episode
		65.54	Laparoscopic removal of remaining ovary
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative episode
		65.64	Laparoscopic removal of remaining ovary and tube
58670	Laparoscopy. Surgical; with fulguration of oviducts (with or without transection)	66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
58671	Laparoscopy, surgical; with occlusion of oviducts by device (e.g. band, clip or Falope ring)	66.21	Bilateral endoscopic ligation and crushing of fallopian tubes
		66.22	Bilateral endoscopic ligation and division of fallopian tubes
		66.29	Other bilateral endoscopic destruction or occlusion of fallopian tubes
58700	Salpingectomy, complete or partial, unilateral, or bilateral (separate procedure)	66.4	Total unilateral salpingectomy
		66.51	Removal of both fallopian tubes at same operative episode
		66.52	Removal of remaining fallopian tube
		66.61	Excision or destruction of lesion of fallopian tube
		66.62	Salpingectomy with removal of tubal pregnancy
		66.63	Bilateral partial salpingectomy, not otherwise specified
		66.69	Other partial salpingectomy
58951	Resection – ovarian, tubal or primary peritoneal malignancy with bilateral salpingo-oophorectomy and omentectomy; with total abdominal hysterectomy, pelvic and limited para-aortic lymphadenectomy	68.6	Total abdominal hysterectomy
		65.61	Other removal of both ovaries and tubes at same operative episode

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
58951 (continued)		65.62	Other removal of remaining ovary or tube
		65.63	Laparoscopic removal of both ovaries and tubes at same operative episode
		65.63	Laparoscopic removal of both ovaries and tubes at same operative episode
		65.64	Laparoscopic removal of remaining ovary or tube
		40.29	Simple excision of other lymphatic structure
59000	Amniocentesis, any method	75.1	Diagnostic amniocentesis
59020	Fetal contraction stress test	75.35	Other diagnostic procedures on fetus and amnion
59025	Fetal non-stress test	75.35	Other diagnostic procedures on fetus and amnion
59030	Fetal scalp blood sample	75.33	Fetal blood sampling and biopsy
59050	Fetal Monitor, with Report	75.34	Other fetal monitoring
59051	Fetal Monitoring during labor by consulting physician (i.e. non-attending physician) with written report, interpretation only	75.34	Other fetal monitoring
59100	Hysterotomy, abdominal (e.g. for hydatidiform mole, abortion)	68.0	Hysterotomy
		74.91	Hysterotomy to terminate pregnancy
		74.99	Other cesarean section of unspecified type
		75.2	For intrauterine transfusion
		75.31	Amnioscopy
		75.33	Fetal blood sampling and biopsy
		75.35	Other diagnostic procedures on fetus and amnion
		75.36	Correction of fetal defect
		75.37	Amnioinfusion
59120-59160			
59120	Surgical treatment of ectopic pregnancy; tubal or ovarian, requiring salpingectomy and/or oophorectomy, abdominal or vaginal approach,	66.62	Salpingectomy with removal of tubal pregnancy
		74.3	Removal of extratubal ectopic pregnancy
		65.31	Laparoscopic unilateral oophorectomy
		65.39	Other unilateral oophorectomy
		65.41	Laparoscopic unilateral salpingo-oophorectomy
		65.49	Other unilateral salpingo-oophorectomy
		65.51	Other removal of both ovaries at same operative episode

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
59120 (continued)		65.52	Other removal of remaining ovary
		65.53	Laparoscopic removal of both ovaries at same operative episode
		65.54	Laparoscopic removal of remaining ovary
		65.61	Other removal of both ovaries and tubes at the same operative episode
		65.62	Other removal of remaining ovary and tube
		65.63	Laparoscopic removal of both ovaries and tubes at the same operative episode
		65.64	Laparoscopic removal of remaining ovary and tube
		66.62	Salpingectomy with removal of tubal pregnancy
59121	Surgical treatment of ectopic pregnancy, tubal or ovarian, without salpingectomy and/or oophorectomy	65.99	Other operation on ovary
		66.99	Other operation on fallopian tube
59130	Surgical treatment ectopic pregnancy; abdominal pregnancy	74.3	Removal of extratubal ectopic pregnancy
59135	Surgical treatment of ectopic pregnancy, interstitial, uterine pregnancy requiring total hysterectomy	68.4	Total abdominal hysterectomy
		68.51	Laparoscopically assisted vaginal hysterectomy (LAVH)
		68.59	Other vaginal hysterectomy
59136	Surgical treatment of ectopic pregnancy; interstitial, uterine pregnancy with partial resection of uterus	68.29	Other excision or destruction of lesion of uterus
		68.3	Subtotal abdominal hysterectomy
		68.9	Other and unspecified hysterectomy
		69.99	Other operations on cervix and uterus
59140	Surgical treatment of ectopic pregnancy; cervical, with evacuation	69.01	Dilatation and curettage for termination of pregnancy
		69.51	Aspiration curettage of uterus for termination of pregnancy
		69.52	Aspiration curettage following delivery or abortion
		69.59	Other aspiration curettage of uterus
59150	Laparoscopic treatment of ectopic pregnancy; without salpingectomy and/or oophorectomy	65.99	Other operation of ovaries
		66.99	Other operation of tubes
		71.9	Other operations on female genital organs
59151	Laparoscopic treatment of ectopic pregnancy, with salpingectomy and/or oophorectomy	66.62	Salpingectomy with removal of tubal pregnancy

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
59151 (continued)		65.31	Laparoscopic unilateral oophorectomy
		65.39	Other unilateral oophorectomy
		65.53	Laparoscopic removal of both ovaries at same operative episode
		65.54	Laparoscopic removal of remaining ovary
59160	Curettage, postpartum	69.02	Dilation & curettage follow delivery or abortion
<b>59300 - 59410</b>			
59300	Episiotomy or vaginal repair, by other than attending physician	73.6	Episiotomy
		75.69	Repair of other current obstetric laceration
59320	Cerclage of cervix, during pregnancy; vaginal	67.59	Other repair of internal cervical
59325	Cerclage of cervix, during pregnancy, abdominal	67.51	Transabdominal cerclage of cervix
59350	Hysterorrhaphy of ruptured uterus	69.41	Suture of laceration of uterus (hysterraphy)
<b>59400 - 59410</b>			
59400	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care	72.0-73.99	Obstetrical procedures (related to vaginal delivery). See ICD-9-CM Volume 3 manual for all values.
59409	Vaginal delivery only (with or without episiotomy, and/or forceps)	72.0-73.99	Obstetrical procedures (related to vaginal delivery)
59412	External cephalic version, with or without tocolysis	73.92	Replacement of prolapsed umbilical cord
59414	Delivery of placenta (separate procedure)	75.4	Manual removal of retained placenta
<b>59510 - 59525</b>			
59510	Routine obstetrical care including antepartum care, cesarean delivery, and post-partum care	74.0	Classical cesarean section
		74.1	Low cervical cesarean section
		74.2	Extraperitoneal cesarean section
		74.3	Removal of Extratubal ectopic pregnancy
		74.4	Cesarean section of other specified type
		74.91	Hysterectomy to terminate pregnancy
		74.99	Other cesarean section of unspecified type
59514	Cesarean delivery only	74.0	Classical cesarean section
		74.1	Low cervical cesarean section
		74.2	Extraperitoneal cesarean section
		74.3	Removal of Extratubal ectopic pregnancy

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
		74.4	Cesarean section of other specified type
		74.99	Other cesarean section of unspecified type
59525	Subtotal or total hysterectomy after cesarean delivery (List separately in addition to code for primary procedure)	68.3	Subtotal abdominal hysterectomy
		68.4	Abdominal Hysterectomy
		74.0	Classical cesarean section
		74.1	Low cervical cesarean section
		74.2	Extraperitoneal cesarean section
		74.3	Removal of Extratubal ectopic pregnancy
		74.4	Cesarean section of other specified type
		74.99	Other cesarean section of unspecified type
<b>59600 - 59619</b>			
59610	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery	72.0-73.99	Obstetrical procedures (related to vaginal delivery). See ICD-9-CM Volume 3 manual for all values.
59612	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps)	72.0-73.99	Obstetrical procedures (related to vaginal delivery). See ICD-9-CM Volume 3 manual for all values.
59618	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery	74.0	Classical cesarean section
		74.1	Low cervical cesarean section
		74.2	Extraperitoneal cesarean section
		74.3	Removal of Extratubal ectopic pregnancy
		74.4	Cesarean section of other specified type
		74.91	Hysterectomy to terminate pregnancy
		74.99	Other cesarean section of unspecified type
59620	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery	74.0	Classical cesarean section
		74.1	Low cervical cesarean section
		74.2	Extraperitoneal cesarean section
		74.3	Removal of Extratubal ectopic pregnancy
		74.4	Cesarean section of other specified type
		74.99	Other cesarean section of unspecified type
59820	Treatment of missed abortion, completed surgically; first trimester	69.02	Dilation & curettage follow delivery or abortion
		69.52	Aspiration curettage following delivery or abortion

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
59830	Treatment of septic abortion, completed surgically	69.02 69.52	Dilation & curettage follow delivery or abortion Aspiration curettage following delivery or abortion
<b>59840-59852</b>			
59840	Induced abortion, by dilatation and curettage	69.01	Dilation & curettage for termination of pregnancy
59841	Induced abortion, by dilatation and evacuation	69.51	Aspiration curettage of the uterus for termination of pregnancy
59850	Induced abortion, by one or more intra-amniotic injections (amniocentesis-injections), including hospital admission and visits, delivery of fetus and secundines	75.0	Intra-amniotic injection for abortion
59851	Induced abortion, by one or more intra-amniotic injections (amniocentesis- injections), including hospital admission and visits, delivery of fetus and secundines; with dilation and curettage and/or evacuation	75.0 69.01 69.51	Intra-amniotic injection for abortion Dilation & curettage for termination of pregnancy Aspiration curettage of the uterus for termination of pregnancy
59852	Induced abortion, by one or more intra-amniotic injections (amniocentesis-injections), including hospital admission and visits, delivery of fetus and secundines; with hysterectomy (failed intra-amniotic injection)	75.0 74.91	Intra-amniotic injection for abortion Hysterectomy to terminate pregnancy
<b>59855-59857</b>			
59855	Induced abortion, by one or more vaginal suppositories (e.g. prostaglandin) with or without cervical dilation (e.g. laminaria), including hospital admission and visits, delivery of fetus and secundines	96.49	Other genitourinary instillation (insertion of prostaglandin suppository)
59856	Induced abortion by one or more vaginal suppositories (e.g. prostaglandin) with or without cervical dilation (e.g. laminaria), including hospital admission and visits, delivery of fetus and secundines; with dilation and curettage and/or evacuation	96.49	Other genitourinary instillation (Insertion of prostaglandin suppository)
59857	Induced abortion by one or more vaginal suppositories (e.g. prostaglandin) with or without cervical dilation (e.g. laminaria), including hospital admission and visits, delivery of fetus and secundines; with hysterectomy (failed medical evacuation)	69.51 96.49 74.91	Aspiration curettage of uterus for termination of pregnancy Other genitourinary instillation (Insertion of prostaglandin suppository) Hysterectomy to terminate pregnancy
59871	Removal of cerclage suture under anesthesia (other than local)	69.96	Removal of cerclage material from cervix
<b>90918-90999</b>			
90918	End stage renal disease (ESRD) related services per full month; for patients under two years of age to include monitoring for adequacy of nutrition, assessment of growth and development, and counseling of parents	89.01 89.02	Interview and evaluation, described as brief Interview and evaluation, described as limited

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
90918 (continued)		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90919	End stage renal disease (ESRD) related services per full month; for patients between two and eleven years of age to include monitoring for adequacy of nutrition, assessment of growth and development, and counseling of parents	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90920	End stage renal disease (ESRD) related services per full month; for patients between twelve and nineteen years of age to include monitoring for adequacy of nutrition, assessment of growth and development, and counseling of parents	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
90921	End stage renal disease (ESRD) related services per full month; for patients twenty years of age or over	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90922	End stage renal disease (ESRD) related services (less than full month), per day; for patients two years of age	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90923	End stage renal disease (ESRD) related services (less than full month), per day; for patients between two and eleven years of age	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation



SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
90923 (continued)		89.09	Consultation, not otherwise specified
90924	End stage renal disease (ESRD) related services (less than full month), per day; for patients between twelve and nineteen years of age	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90925	End stage renal disease (ESRD) related services (less than full month), per day; for patients twenty years of age and over	89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90935	Hemodialysis procedure with single physician evaluation	39.95	Hemodialysis
		89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
90935 (continued)		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90937	Hemodialysis procedure requiring repeated evaluation(s) with or without substantial revision of dialysis prescription	39.95	Hemodialysis
		89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90939	Hemodialysis access flow study to determine blood flow in grafts and arteriovenous fistulae by an indicator dilution method, hook-up; transcutaneous measurement and disconnection	89.68	Monitoring of cardiac output by other technique (includes by an indicator dilution method)
90940	Hemodialysis access flow study to determine blood flow in grafts and arteriovenous fistulae by an indicator dilution method, hook-up; measurement and disconnection	89.68	Monitoring of cardiac output by other technique (includes by an indicator dilution method)
90945	Dialysis procedure other than hemodialysis (e.g. peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies), with single physician evaluation	39.95	Hemodialysis
		54.98	Peritoneal dialysis
		89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
90947	Dialysis procedure other than hemodialysis (e.g. peritoneal dialysis, hemofiltration, or other continuous renal replacement therapies), requiring repeated physician evaluations, with or without substantial revision of dialysis prescription	39.95	Hemodialysis
		54.98	Peritoneal dialysis
		89.01	Interview and evaluation, described as brief
		89.02	Interview and evaluation, described as limited
		89.03	Interview and evaluation, described as comprehensive
		89.04	Other interview and evaluation
		89.05	Diagnostic interview and evaluation, not otherwise specified
		89.06	Consultation, described as limited
		89.07	Consultation, described as comprehensive
		89.08	Other consultation
		89.09	Consultation, not otherwise specified
90989	Dialysis training, patient, including helper where applicable, any mode, completed course	99.99	Other misc. procedures, other
90993	Dialysis training, patient, including helper where applicable, any mode, course not completed, per training session	99.99	Other misc. procedures, other
90997	Hemoperfusion (e.g. with activated charcoal or resin)	39.97	Other perfusion
90999	Unlisted dialysis procedure, inpatient or outpatient	59.99	Other operations on urinary system, other
<b>Z1000 - Z1210</b>			
Z1030	Non-Oxytocin Fetal Stress Test	75.35	Other diagnostic procedures on fetus and amnion
Z1208	Mini-Laparotomy for Female Sterilization	66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
Z1210	Trans/Fall Tu Uni/Bil w/Mini-Lap Postpar	66.31	Other bilateral ligation and crushing of fallopian tubes
		66.32	Other bilateral ligation and division of fallopian tubes
		66.39	Other bilateral destruction or occlusion of fallopian tubes
		66.4	Total unilateral salpingectomy
		66.51	Removal of both fallopian tubes at same operative of episode
		66.52	Removal of remaining fallopian tube
		66.61	Excision or destruction of lesion of fallopian tube

SURGICAL CODE CROSSWALK – INPATIENT			
LOCAL VALUES	DESCRIPTION	HIPAA VALUES	DESCRIPTION
Z1210 (continued)		66.62	Salpingectomy with removal of tubal pregnancy
		66.63	Bilateral partial spaingectomy, not otherwise specified
		66.69	Other partial salpingectomy
		66.92	Unilateral destruction or occlusion of fallopian tube